

Web Images Video News Maps Gmail more ▾

Sign in



query parameter scope method database abst

Search

Advanced Search  
Preferences

New! View and manage your web history

Web Groups Results 1 - 10 of about 842,000 for **query parameter scope method database abstraction ins**

### Django | Documentation (version 0.90) | Database abstraction layer API

This document explains the **database abstraction** API derived from the models, .... Given an **instance** of an **object**, related **objects** can be looked-up directly ...  
www.djangoproject.com/documentation/0\_90/db\_api/ - 46k - [Cached](#) - [Similar pages](#)

### Object-oriented database abstraction and statement generation ...

This **object** provides an **abstraction** of the **database** schema, ... For **instance**, the procedure call may indicate that the value of a **parameter** is desired for ...  
www.freepatentsonline.com/6763361.html - 39k - [Cached](#) - [Similar pages](#)

### [PDF] Database WF Activities 1.0 Requirements Specification 1. Scope

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
to the Named **Query** Processor **methods**. 1.2.2 **Database Non-Query** Activity ... activity itself as the key **parameter**. The single **object** activity will have ...  
software.topcoder.com/catalog/document?id=26871007 - [Similar pages](#)

### [#ZF-181] date/time abstraction - Zend Framework Issue Tracker

I like the **database abstraction** layer so far, but what really seems missing is ... such that the **query()** **method** discovers if any of its bound **parameters** are ...  
framework.zend.com/issues/browse/ZF-181 - 41k - [Cached](#) - [Similar pages](#)

### Zend Technologies - Code GalleryObject Database Abstraction

**Object Database Abstraction** ... unless specified in the **query method** - Nice formatted table(Easy reference), .... /\*Adding the 1 as the second **parameter**, ...  
www.zend.com/code/codex.php?id=960&single=1 - 72k - [Cached](#) - [Similar pages](#)

### Method and apparatus for object-oriented access to a relational ...

That is, the **query abstraction method** of the present invention does not ... **QUERY object** 207 has as input at least one **PARAMETER** 206 that represents a data ...  
www.patentstorm.us/patents/6968344-description.html - 41k - [Cached](#) - [Similar pages](#)

### Class::DBI - Simple Database Abstraction - search.cpan.org

The before\_delete trigger is when an **object instance** is about to be deleted. .... out of **scope** or the program ends) then Class::DBI's DESTROY **method** will ...  
search.cpan.org/perldoc?Class::DBI - 101k - [Cached](#) - [Similar pages](#)

### Tutorial: PHP 5 OOP - VBForums

Because the class is **abstract** an **instance** of it can never be created (remember .... We use protected members, because a **database** specific **query object** which ...  
www.vbforums.com/showthread.php?t=378700 - 201k - [Cached](#) - [Similar pages](#)

### Changes \*\*\*\* v2.0.1 (November 2006) ----- - fix: bug in last ...

getKeys in favor of the new **method Instance**. ... velosurf appears as a Velocity ViewTool - http **query parameters** are now parsed by HttpQueryTool, ...  
velosurf.sourceforge.net/CHANGELOG - 14k - [Cached](#) - [Similar pages](#)

### The PHP 5 Data Object (PDO) Abstraction Layer and Oracle

The exec() **method** of the **database** handle **object** can be used to issue fast .... and it is worth noting that you may also bind **parameters** to the **query** to ...  
www.oracle.com/technology/pub/articles/php\_experts/otn\_pdo\_oracle5.html - 79k -

[Cached](#) - [Similar pages](#)

**Google Groups results for query parameter scope method database abstraction instance object**



[Comp.Object FAQ Version 1.0.8 \(05-31\) Part 2/13](#) - comp.object - Jul 18, 1995

[Abstract public member variables?](#) - comp.object - Sep 24, 2006

[M Technology and MUMPS Language FAQ, Part 1/2](#) - sci.med.informatics - Jun 21, 1998

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

microsoft abstraction instance database query

Search Patents

[Advanced Patent Search](#)  
[Google Patent Search](#)**Patents** Patents 11 - 20 on microsoft abstraction instance database query scope method. (0.26 seconds)[« View all web results for microsoft abstraction instance database query scope method](#) [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)Methods and systems for per persona processing media content-associated metadata

US Pat. 7220910 - Filed Mar 21, 2002 - Microsoft Corporation

13 is a flow diagram illustrating steps in a **method** in accordance with one embodiment  
... a **database query** on a computing device that supports such queries. ...Translation of object queries involving inheritance

US Pat. 7082433 - Filed Jul 20, 2002 - Microsoft Corporation

A **method** of translating a join expression, expressed in terms of objects, into  
a relational **database** join statement, comprising: receiving the join ...Mapping database users to operating system users in a computer schema

US Pat. 6990499 - Filed Oct 15, 2004 - Microsoft Corporation

However, the description itself is not intended to limit the **scope** of this patent.  
... Computer storage media 45 available from **Microsoft** Corporation of ...Use of indices for queries with comparisons on a function

US Pat. 6757671 - Filed Sep 27, 2000 - Microsoft Corporation

An object is an **instance** of a class. The data members of an object are ...  
The comparison value can be a constant, a **query** parameter, a column from another ...System and method for extending application preferences classes

US Pat. 7137099 - Filed Oct 24, 2003 - Microsoft Corporation

Preferences can then be executed or evaluated utilizing **query** language (eg, ...  
from a **database** and executed according to one 40 aspect in real-time. FIG. ...Systems for per persona processing media content-associated metadata

US Pat. 7262357 - Filed Apr 1, 2005 - Microsoft Corporation

This static portion can be developed and pro- 50 vided into the file whenever a  
playlist engine executes a **database query** on a computing device that ...Detecting framing of a network resource identified by a target uniform ...

US Pat. 6895402 - Filed Aug 25, 1999 - International Business Machines Corporation

60 The Targeted Crawler then consults the DTD **database** for the correct format  
for querying the Hotbot search engine, and builds a boolean **query** based upon ...Data referencing within a database graph

US Pat. 6665863 - Filed May 31, 2000 - Microsoft Corporation

Constraints on variables specify the shape of the information retrieved from a  
**query**. Constraints on a graph cursor object specify value restrictions. ...Searching multi-media databases using multi-media queries

US Pat. 6957226 - Filed Jun 27, 2002 - Microsoft Corporation

6, a **method** 600 for searching a multimedia **database** in accordance with an ...

At 610, responsibility vectors for frames of a **query** segment are calculated. ...

Representing **database** permissions as associations in computer schema

US Pat. 7020655 - Filed Oct 15, 2004 - Microsoft Corporation

The "**Microsoft** SQL Server" brand of **database** programs, also available from **Microsoft** ... WMI provides services such as SQL **query** language support and ...



Result Page: [Previous](#) [1](#) [2](#) [3](#) [Next](#)

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	1	"5937189".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 10:52
L12	1	"5937189".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:52
L13	1	"5937189".pn. and query and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:57
L14	1	"5937189".pn. and search\$4 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L15	0	"5937189".pn. and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L16	0	"5937189".pn. and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L17	0	"5937189".pn. and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:14
L18	1	"5937189".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:57

## EAST Search History

L19	1	"20030083073".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 11:57
L20	1	"6343290".pn. and protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:08
L21	1	"6763361".pn. and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:09
L22	1	"6763361".pn. and query and method and instance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:09
L23	1	"6763361".pn. and query and method and instance and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:12
L24	1	"6968344".pn. and query and method and instance and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:18
L25	5	"1379971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:26
L26	1	"7162469".pn. and schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:26

## EAST Search History

L27	1	"7162469".pn. and schema and query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:28
L28	180	object with (generat\$5 or creat\$4) with instance with (element or record or item or entry) and database and query and (cerat\$4 or build\$4 or generat\$6) with class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:30
L29	0	object with (generat\$5 or creat\$4) with instance with (element or record or item or entry) and database and query and (cerat\$4 or build\$4 or generat\$6) with class and query with method with scope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:31
L30	62	object with (generat\$5 or creat\$4) with instance with (element or record or item or entry) and database and query and (cerat\$4 or build\$4 or generat\$6) with class and query with method and scope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:31
L31	42	object with (generat\$5 or creat\$4) with instance with (element or record or item or entry) and database and query and (cerat\$4 or build\$4 or generat\$6) with class and query with method and scope and (call or bind or connect\$6 or interface) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:33
L32	29	object with (generat\$5 or creat\$4) with instance with (element or record or item or entry) and database and query and (creat\$4 or build\$4 or generat\$6) with class and query with method and (definition or specification or scope or parameter) with query and (call or bind or connect\$6 or interface) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:34